

STUDIO RONDO

Studio Rondo have a charm and neatness in their simple, uncluttered lines that serve to enhance the inherent beauty and character of tempered glass doors. The extended colour options provide a wide range of creations.

Lock Studio Rondo

12 – 16

Hinges

17 – 20

Sets of levers

21

Frame pivots

35

Strike plates / Profile cylinder

35

Applications

36 – 37

Special hinges

62 – 64

Door rails

65 – 67

Door bolts/Accessories

67 – 68

Mounting of door closers

69 – 70

Finishes and colours

71



COMPLETE DOORSETS FOR 8 AND 10 MM GLASS THICKNESS, LOCKS WITH FOLLOWER


Locks acc. to DIN 18251, class 3, according to type testing (see page 4 – 5).

Door weight max. 45 kg, door width max. 1000 mm.

Rebate depth 24 mm (for 8 mm glass thickness),
26 mm (for 10 mm glass thickness)

Prepared for all levers without roses with 8 mm square spindles, spindle length for 44 mm lock thickness and 18 mm Ø follower, max. 8 mm long.

Hinges also to suit doors with no over-rebate and prepared for rebate depth 28 – 40 mm see page 14 and following.



Lock with 2 hinges,
non-locking lock,
hinges with sleeves,
extended colour options

8 mm glass thickness

Art. No. 10.100

10 mm glass thickness

Art. No. 10.130

Weight in kg: alumin. 1.580
brass 2.485

Lock with 2 hinges,
non-locking lock
for lever forward,
hinges with sleeves,
extended colour options

8 mm glass thickness

Art. No. 10.101

10 mm glass thickness

Art. No. 10.131

Weight in kg: alumin. 1.625
brass 2.505

Lock with 2 hinges,
lock prepared for Europrofile
cylinder, nightlatch function,
hinges with sleeves,
extended colour options

8 mm glass thickness

Art. No. 10.102

10 mm glass thickness

Art. No. 10.132

Weight in kg: alumin. 1.565
brass 2.465

Lock with 2 hinges,
lock prepared for KABA,
nightlatch function,
hinges with sleeves,
extended colour options

8 mm glass thickness

Art. No. 10.108

10 mm glass thickness

Art. No. 10.129

Weight in kg: alumin. 1.563

Lock with 2 hinges,
lever lock, nightlatch
function, 2 keys supplied, hin-
ges with sleeves,
extended colour options

8 mm glass thickness

Art. No. 10.103

10 mm glass thickness

Art. No. 10.133

Weight in kg: alumin. 1.630
brass 2.530

Lock with 2 hinges,
WC-toilet door, hinges with
sleeves, extended colour
options

8 mm glass thickness

Art. No. 10.106

10 mm glass thickness

Art. No. 10.134

Weight in kg: alumin. 1.745
brass 2.755

Strike box with 2 hinges,
for pairs of doors,
hinges with sleeves,
extended colour options

8 mm glass thickness

Art. No. 10.120

10 mm glass thickness

Art. No. 10.125

Weight in kg: alumin. 1.380
brass 2.295


COMPLETE DOORSETS FOR 8 AND 10 MM GLASS THICKNESS, LOCKS FOR LEVERS WITH ROSES

Locks acc. to DIN 18251, class 3, according to type testing (see page 4 – 5).

Door weight max. 45 kg, door width max. 1000 mm.

Rebate depth 24 mm (for 8 mm glass thickness),
26 mm (for 10 mm glass thickness)

Hinges also to suit doors with no over-rebate and prepared for rebate depth 28 – 40 mm see page 14 and following.



Lock with 2 hinges,
non-locking lock,
hinges with sleeves

8 mm glass thickness

Art. No. 10.110

10 mm glass thickness

Art. No. 10.135

Weight in kg: alumin. 1.580

Lock with 2 hinges,
non-locking lock
for lever forward,
hinges with sleeves

8 mm glass thickness

Art. No. 10.111

10 mm glass thickness

Art. No. 10.136

Weight in kg: alumin. 1.585

Lock with 2 hinges,
lock prepared for Europrofile
cylinder, nightlatch function,
hinges with sleeves

8 mm glass thickness

Art. No. 10.112

10 mm glass thickness

Art. No. 10.137

Weight in kg: alumin. 1.565

Lock with 2 hinges,
lock prepared for KABA,
nightlatch function,
hinges with sleeves

8 mm glass thickness

Art. No. 10.118

10 mm glass thickness

Art. No. 10.139

Weight in kg: alumin. 1.563

Lock with 2 hinges,
lever lock, nightlatch
function, 2 keys supplied, hin-
ges with sleeves

8 mm glass thickness

Art. No. 10.113

10 mm glass thickness

Art. No. 10.138

Weight in kg: alumin. 1.575

Strike box with 2 hinges,
for pairs of doors,
hinges with sleeves

8 mm glass thickness

Art. No. 10.120

10 mm glass thickness


Art. No. 10.125

Weight in kg: alumin. 1.380

LOCKS WITH FOLLOWER

According to DIN 18251, class 3, according to type testing
(see page 4 – 5)

Locks for 8 mm glass thickness / 24 mm rebate depth,
10 mm glass thickness / 26 mm rebate depth resp.



Prepared for all levers without roses with 8 mm square spindles,
spindle length for 44 mm lock thickness and 18 mm Ø follower,
max. 8 mm long.

Hinges also to suit doors with no over-rebate and prepared
for rebate depth 28 – 40 mm see page 12 and following.

Lock,
non-locking, extended colour
options

Art. No. 10.200
Weight in kg: alumin. 0.840
brass 1.055

Lock,
non-locking, with follower
forward, extended colour options

Art. No. 10.201
Weight in kg: alumin. 0.845
brass 1.055

Lock,
prepared for Europrofile
cylinder, nightlatch function,
extended colour options

Art. No. 10.202
Weight in kg: alumin. 0.815
brass 1.030

Lock,
prepared for KABA, nightlatch
function, extended colour options

Art. No. 10.207
Weight in kg: alumin. 0.813

Lock,
lever lock, nightlatch function,
2 keys supplied, extended
colour options

Art. No. 10.203
Weight in kg: alumin. 0.850
brass 1.090

Lock,
WC-toilet door, extended colour
options

Art. No. 10.206
Weight in kg: alumin. 1.106
brass 1.398

Strike box,
for pairs of doors, extended
colour options


Art. No. 10.220
Weight in kg: alumin. 0.610
brass 0.903

LOCKS FOR LEVERS WITH ROSES

According to DIN 18251, class 3, according to type testing
(see page 4 – 5)

Locks for 8 mm glass thickness / 24 mm rebate depth,
10 mm glass thickness / 26 mm rebate depth resp.

Hinges also to suit doors with no over-rebate and prepared for rebate depth 28 – 40 mm see page 12 and following.



Lock,
non-locking, extended colour
options

Art. No. 10.210
Weight in kg: alumin. 1.580
brass 2.485

Lock,
non-locking, with follower
forward, extended colour options

Art. No. 10.211
Weight in kg: alumin. 1.625
brass 2.505

Lock,
prepared for Europrofile
cylinder, nightlatch function,
extended colour options

Art. No. 10.212
Weight in kg: alumin. 1.565
brass 2.465

Lock,
prepared for KABA, nightlatch
function, extended colour
options

Art. No. 10.217
Weight in kg: alumin. 0.810

Lock,
lever lock, nightlatch function,
2 keys supplied, extended
colour options

Art. No. 10.213
Weight in kg: alumin. 1.630
brass 2.530

Strike box,
for pairs of doors, extended
colour options

Art. No. 10.220
Weight in kg: alumin. 0.610
brass 0.903


LOCKS, PREPARED FOR D-LINE LEVERS WITH ROSES

According to DIN 18251, class 3, according to type testing
(see page 4 – 5)

Locks for 8 mm glass thickness / 24 mm rebate depth,
10 mm glass thickness / 26 mm rebate depth resp.

Lever on site. Please specify exact lock type when ordering lever
at your supplier and left or right hand application.

Hinges also to suit doors with no over-rebate and prepared
for rebate depth 28 – 40 mm see page 12 and following.



Lock,
non-locking, extended colour
options

Art. No. 10.260
Weight in kg: alumin. 0.840
brass 1.055

Lock,
non-locking, with follower
forward, extended colour options

Art. No. 10.261
Weight in kg: alumin. 0.845

Lock,
prepared for Europrofile
cylinder, nightlatch function,
extended colour options


Art. No. 10.262
Weight in kg: alumin. 0.815
brass 1.030

Lock,
lever lock, nightlatch function,
2 keys supplied, extended
colour options

Art. No. 10.263
Weight in kg: alumin. 0.850

HINGES FOR 8 MM GLASS THICKNESS

Door width max. 1000 mm



Hinge with frame pivot,
complete with sleeve,
to suit rebate depth 20 mm,
extended colour options
door weight max. 45 kg

Art. No. 10.230

Weight in kg: alumin. 0.319
brass 0.688

Hinge with frame pivot,
complete with sleeve, to suit
rebate depth 28 – 30 mm,
door weight max. 38 kg

Art. No. 10.233 (not illustr.)

Weight in kg: alumin. 0.336
brass 0.806

Filler piece with screws
for rebate depth 31 – 39 mm,
(please indicate),
door weight max. 38 kg, used in
combination with hinge 10.230


Art. No. 10.420 (not illustr.)

Weight in kg: alumin. 0.144

Hinge with frame pivot,
complete with sleeve and filler
piece to suit 40 mm rebate
depth, door weight max. 38 kg

Art. No. 10.234 (not illustr.)

Weight in kg: alumin. 0.486




**Hinge with frame pivot for
aluminium frames,**
stainless steel pin,
door weight max. 35 kg

Art. No. 10.231

Weight in kg: alumin. 0.329

HINGES FOR 8 MM GLASS THICKNESS


Door width max. 1000 mm



Hinge with frame pivot for wooden frames,
hinge flap for mortising into frame, stainless steel pin,
door weight max. 35 kg

Art. No. 10.232


Weight in kg: alumin. 0.321



Strengthened hinge with frame pivot for wooden frames,
hinge flap for mortising into frame, stainless steel pin,
door weight max. 45 kg

Art. No. 10.235

Weight in kg: alumin. 0.433



Hinge for mounting onto sidelight,
stainless steel pin,
door weight max. 35 kg


Art. No. 10.244 L (as illustr.)

Art. No. 10.246 R

Weight in kg: alumin. 0.557

HINGES FOR 10 MM GLASS THICKNESS


Door width max. 1000 mm



Hinge with frame pivot,
complete with sleeve,
rebate depth 26 mm,
extended colour options,
door weight max. 45 kg

Art. No. 10.236


Weight in kg: alumin. 0.319
brass 0.688



Hinge with frame pivot for aluminium frames,
stainless steel pin,
door weight max. 35 kg

Art. No. 10.237

Weight in kg: alumin. 0.329




Hinge with frame pivot for wooden frames,
hinge flap for mortising into
frame, stainless steel pin,
door weight max. 35 kg

Art. No. 10.238

Weight in kg: alumin. 0.321


HINGES FOR 10 MM GLASS THICKNESS

Door width max. 1000 mm



Strengthened hinge with frame pivot for wooden frames,
hinge flap for mortising into frame, stainless steel pin,
door weight max. 45 kg

Art. No. 10.239
Weight in kg: alumin. 0.433



Hinge for mounting onto sidelight,
stainless steel pin,
door weight max. 35 kg

Art. No. 10.245 L (as illustr.)
Art. No. 10.247 R
Weight in kg: alumin. 0.557

Note: Opening angle max. 100°

