


ALEXA

Door frames



**New and super narrow –
the perfect aluminium door
frame for glass assemblies:**

- ALEXA AT 23
single acting door frame
- ALEXA AT 23 E
single acting door frame
- ALEXA AT 44
single acting door frame
- ALEXA AT 44 EA
single acting door frame
- ALEXA PT 35
double acting door frame
- ALEXA MRX 30
door frame surround

All frame types have been
tuned to fit DORMA-Glas
fittings.

Standard fittings for a rebate
depth of 24 mm are used on
the single acting door frames
AT 44 and AT 44 EA.

Standard finishes

- Satin silver anodised
- Painted white RAL 9016
- Similar satin stainless
steel anodised

Special finishes

- Painted (RAL), anodised

Note regarding customising

All ALEXA frames are
produced to your given
measurements. 2, 3 or 4
measurements are needed
depending on system type
(see technical information
and order sheet). With this,
it is possible to plan all door
frame types.

Door frames are prepared for
on site assembly.



Please note:
Fittings have to be ordered
separately.

ALEXA AT 23 single acting door frame

for 8 mm glass



With concealed fixing and suitable for DORMA special hinges Art. no. 11.294, 12.050, 25.450 and locks Junior Office, Junior Office Classic und ARCOS Office.

Max. door weight

- with 2 hinges = 40 kg
- with 3 hinges = 55 kg

Standard finishes

- Satin silver anodised
- Painted white RAL 9016
- Similar satin stainless steel anodised



ALEXA AT 23
Single acting door frame

ALEXA AT 23 E corner single acting door frame

for 8 mm glass



With concealed fixing and suitable for DORMA special hinges Art. no. 11.294, 12.050, 25.450 and locks Junior Office, Junior Office Classic und ARCOS Office.

Max. door weight

- with 2 hinges = 40 kg
- with 3 hinges = 55 kg


Standard finishes

- Satin silver anodised
- Painted white RAL 9016
- Similar satin stainless steel anodised




ALEXA AT 23 E
Corner single acting door frame


The profiles

Single acting door frame
AT 23Corner single acting door
frame AT 23 E


Fitting type examples




ALEXA AT 23 with DORMA special hinge Art. no. 11.294 resp. 12.050, lock Junior Office / Junior Office Classic



ALEXA AT 23 with DORMA special hinge ARCOS Art. no. 25.450,, lock ARCOS Studio






ALEXA AT 23 E with DORMA special hinge Art. no. 11.294 resp. 12.050, lock Studio Rondo / Classic






ALEXA AT 23 E with DORMA special hinge ARCOS Art. no. 25.450, lock ARCOS Office

ALEXA AT 23 single acting door frame




Example for measurements and set standard measurements for hinges and door levers.

ALEXA AT 23 E corner single acting door frame




Example for measurements and set standard measurements for hinges and door levers.


ALEXA AT 23 single acting door frame




ALEXA AT 23 E corner single acting door frame



ALEXA AT 23 single acting door frame



ALEXA AT 23 E corner single acting door frame



ALEXA AT 44 single acting door frame
for 8 and 10 mm glass

For single and double leaf door assemblies, with overpanel and/or fixed sidelite.


Suitable for DORMA Junior (Office, Office Classic), Studio (Classic, Rondo) and ARCOS (Office, Studio).

Max. door weight


45 to 65 kg
(see also pages 12 and 13)

Standard finishes


- Satin silver anodised
- Painted white RAL 9016
- Similar satin stainless steel anodised


ALEXA AT 44


3 sided frame profile




The Profiles




ALEXA AT 44 - frame profile




ALEXA AT 44 - fixed glass




slide channel closer DORMA TS 92 on rung profile



rung profile




frame profile




slide channel closer DORMA TS 92 on frame profile


Fitting type examples




ALEXA AT 44 - with DORMA Studio (Classic, Rondo)




ALEXA AT 44 - with DORMA Junior (Office, Office Classic)




ALEXA AT 44 - with DORMA ARCOS Studio







ALEXA AT 44 - with ARCOS Office



round bolt door catch



electric strike release for locks Studio und Junior





Example for measurements and set standard measurements for hinges and door levers

Max. door weight

Junior types - with 2 hinges = 55 kg
 Junior types - with 3 hinges = 65 kg

Studio types - with 2 hinges = 45 kg
 Studio types - with 3 hinges = 50 kg




Example for measurements and set standard measurements for hinges and door levers



Max. door weight

Junior types - with 2 hinges = 55 kg
 Junior types - with 3 hinges = 65 kg


Studio types - with 2 hinges = 45 kg
 Studio types - with 3 hinges = 50 kg




overpanel fixing adjustable angle bracket





view lock Studio Rondo




Standard hinge Studio Rondo
Studio Rondo with screw-on frame pivot




lock




view lock Junior Office



Standard hinge Junior Office
Junior Office with screw-on frame pivot



lock



ALEXA AT 44 EA single acting door frame

for patch fittings EA,
for 10 mm glass



With concealed fixing and suitable for single and double leaf door assemblies, with overpanel and/or fixed sidelite.

Suitable for DORMA EA patch fittings with matching locks and levers.


Max. door weight
80 kg

Standard finishes


- Satin silver anodised
- Painted white RAL 9016
- Similar satin stainless steel anodised



Type A
ALEXA AT 44 EA
3 sided frame profile with
3 sided accessory profile for
floor closer (BTS).




Type B
ALEXA AT 44 EA
3 sided frame profile with
2 sided accessory profile for
floor closer (BTS).




Type C
ALEXA AT 44 EA
3 sided frame profile with
1 sided accessory profile for
floor closer (BTS).


The profiles




ALEXA AT 44 with accessory profile




ALEXA AT 44 fixed glazing with accessory profile



Rung profil




accessory profile optional
door catch
door bolt




Slide channel door closer DORMA TS 92


Fitting type examples




ALEXA AT 44 with DORMA EA, and floor pivot bearing Art. no. 01.106




ALEXA AT 44 with DORMA EA, and floor closer DORMA BTS 75V



Type A




Type B




Type C


Example for measurements and set standard measurements for door levers




sectional cut




plan / door with fixed glazing
Type A




plan / door
Type B





plan / door
Type C




view DORMA EA top patch fitting




sectional cut DORMA EA
top patch fitting



view DORMA EA with floor pivot bearing






view lock Junior Office




electrical strike release 17E-KL-6-12V
for locks Studio / Junior



ALEXA AT 44 with DORMA EA







Delicate construction for fixed side lites with overpanel and centre positioned single acting door - **The combination of frames ALEXA AT 44 and ALEXA PT 35.**



ALEXA PT 35 double acting door frame
for 10 mm glass

With concealed fixing and suitable for single and double leaf door assemblies, with overpanel and/or fixed sidelite.



Suitable for DORMA Universal patch fittings with matching locks and levers.

Max. door weight


80 kg

Standard finishes


- Satin silver anodised
- Painted white RAL 9016
- Similar satin stainless steel anodised



The profiles




ALEXA PT 35 frame profile with cover clip profile




ALEXA PT 35 frame profile with glass penetration




Fitting type examples




ALEXA PT 35 with DORMA Universal patch fitting, floor pivot bearing



ALEXA PT 35 fixed glazing




ALEXA PT 35 with DORMA Universal patch fitting, floor closer BTS 75 V



ALEXA PT 35 with DORMA Universal patch fitting, floor pivot bearing


lock, Studio Rondo / Classic




sectional cut / fixed glazing

sectional cut / door with overpanel


sectional cut / door




plan / door




plan / fixed glazing with two elements




plan / door with fixed glazing




view DORMA Universal top patch fitting




view DORMA lock Studio Classic



plan DORMA ARCOS Universal patch fitting




plan lock DORMA ARCOS Studio




view DORMA Universal bottom patch fitting


lock DORMA Junior Office Classic



plan DORMA Universal patch fitting




plan lock DORMA Junior Office Classic




view DORMA Universal patch fitting

view overpanel support




view DORMA Universal patch fitting, floor closer

sectional cut DORMA Universal patch fitting, floor closer



plan double acting door with DORMA BTS 75 V





ALEXA MRX 30 door frame surround

for 6 and 8 mm glass


With concealed fixing for fixed glazing.

Standard finishes


- Satin silver anodised
- Painted white RAL 9016
- Similar satin stainless steel anodised




view frame – fixed glazing




inside frame



outside frame



sectional cut door frame surround



plan door frame surround



DORMA-Glas GmbH
Postfach 32 68
D-32076 Bad Salzufflen
Max-Planck-Straße 33 - 45
D-32107 Bad Salzufflen
Tel. +49 5222 924-0
Fax +49 5222 21009
www.dorma-glas.com